



POOL BODY - SHAPE






INTERNAL POOL DIMENSIONS

Type	A [mm]	B [mm]	C [mm]	Lights
Caribic 450	4500	3100	1400	1
Caribic 610	6100	3100	1500	1
Caribic 720	7200	3500	1500	1



Mountfield	Designer:	P. Kukačka	<i>[Signature]</i>
	Drawing:	T. Tlamicha	<i>[Signature]</i>
Caribic			

TYPICAL EXCAVATION DIMENSIONS AND CONSTRUCTION REQUIREMENTS FOR BASE DEPTH 1400mm and 1500mm



MINIMUM BASE PLATE DIMENSIONS


Type	A [mm]	B [mm]	C [m]	D [m]
Caribic 450	5400	3700	-1,725	-1,405
Caribic 610	6900	3700	-1,825	-1,505
Caribic 720	8000	4100	-1,825	-1,505




Mountfield	Designer:	P. Kukačka	
	Drawing:	T. Tlamicha	
Caribic			

DETAILS


SAMPLE POOL CUT



SAMPLE CROSS-SECTION OF THE PIPE INSTALLATION




SAMPLE CUT WITH SKIMMER UNDERCUT



Mountfield	Designer:	P. Kukačka	
	Drawing:	T. Tlamicha	
Caribic			

SAMPLE DIAGRAM OF THE FILTRATION CIRCUIT



These are sample diagrams of individual devices and accessories and their shape may not correspond to the delivered item. Some elements are optional and may not be included in the order.